

**NOTICE OF POST-HEARING MODIFICATIONS TO TEXT OF PROPOSED
BUILDING STANDARDS**

**OF THE
CALIFORNIA BUILDING STANDARDS COMMISSION, OFFICE OF STATEWIDE
HEALTH PLANNING AND DEVELOPMENT, DIVISION OF THE STATE ARCHITECT,
DEPARTMENT OF HOUSING AND COMMUNITY DEVELOPMENT, AND CALIFORNIA
DEPARTMENT OF FOOD AND AGRICULTURE
TO
CALIFORNIA CODE OF REGULATIONS, TITLE 24
(CALIFORNIA BUILDING STANDARDS CODE)**

The California Building Standards Commission (CBSC), Department of Housing and Community Development (HCD), Division of the State Architect, Structural Safety (DSA/SS), Office of Statewide Health Planning and Development (OSHDP), and California Department of Food and Agriculture (CDFA), are providing notice of the changes for incorporation into California Code of Regulations, Title 24, Part 5, to correct a publisher error in the notes preceding Table 4-1 in Chapter 4.

CBSC will accept written comments for at least 45-days between October 6, 2008, and November 19, 2008. All written comments pertaining to changes proposed by CBSC, HCD, DSA/SS or OSHPD must be submitted to CBSC no later than 5:00 p.m. on November 19, 2008, and addressed to:

**California Building Standards Commission
2525 Natomas Park Drive, Suite 130
Sacramento, CA 95833
Attention: Dave Walls, Executive Director**

Written comments may also be faxed to (916) 263-0959, or emailed to CBSC@dgs.ca.gov no later than 5:00 p.m. on November 19, 2008.

Written comments pertaining to changes proposed by CDFA must be submitted to that agency no later than 5:00 p.m. on November 19, 2008, and addressed to:

**California Department of Food and Agriculture
1220 N Street, Room A-114
Sacramento, CA 95814
Attention: Nancy Grillo, Regulation and Legislation Coordinator
Animal Health and Food Safety Services**

Written comments may also be faxed to CDFA at (916) 653-4249, or emailed to ngrillo@cdfa.ca.gov no later than 5:00 p.m. on November 19, 2008.

All written comments received by November 19, 2008, which pertain to the indicated changes, will be reviewed and responded to by the agencies as part of the compilation of their rulemaking files. Please limit comments to the modifications to the text only.

The proposed modifications to the text and a comment form may be found on CBSC's website at the following link: http://www.bsc.ca.gov/prpsd_chngs/pc_07_comment.htm , and on CDFA's website at <http://www.cdfa.ca.gov/ahfss/regulations.html> .

Contact Persons for Substantive and/or Technical Questions on the Proposed Changes to Building Standards

Specific questions regarding the standards should be addressed to the following department contact persons:

CBSC	Michael Nearman Jane Taylor	(916) 263-0916 (916) 263-0916 (916) 263-0959 FAX Michael.Nearman@dgs.ca.gov Jane.Taylor@dgs.ca.gov
HCD	Doug Hensel Peter Solomon	(916) 445-9471 (916) 327-7591 (916) 327-4712 FAX dhensel@hcd.ca.gov psolomon@hcd.ca.gov
DSA SS	Richard Conrad Howard Smith	(916) 324-7180 (916) 327-8008 (916) 445-7658 FAX Richard.Conrad@dgs.ca.gov Howard.Smith@dgs.ca.gov
OSHPD	Duane Borba Nasser Nikravi	(916) 654-3139 (916) 654-1125 (916) 653-2973 FAX regsunit@oshpd.ca.gov
CDFA	Nancy Grillo	(916) 651-7280 (916) 653-4249 FAX ngrillo@cdfa.ca.gov

**EXPRESS TERMS
FOR
PROPOSED BUILDING STANDARDS
REGARDING
PROPOSED AMENDMENT OF THE
2007 CALIFORNIA PLUMBING CODE (CPC) FOR THE
CALIFORNIA CODE OF REGULATIONS (CCR), TITLE 24, PART 5**

LEGEND FOR EXPRESS TERMS

1. Existing California amendments or code language being modified: All such language appears in *italics*, modified language is underlined.
2. New California amendments: All such language appears underlined and in italics.
3. Repealed text: All such language appears in ~~double-strikeout~~.

These proposed regulations will amend the 2007 edition of the California Plumbing Code (CPC) based on the 2006 edition of the Uniform Plumbing Code (UPC) published by the International Association of Plumbing and Mechanical Officials (IAPMO). California law makes the standards adopted by the Commission applicable to all occupancies in California.

RATIONALE FOR CHANGE:

The California Building Standards Commission, the Office of Statewide Planning and Development, the Division of the State Architect – Structural Safety, the Department of Housing and Community Development, and the California Department of Agriculture propose to amend the 2007 edition of the California Plumbing Code (CPC) based on the 2006 edition of the Uniform Plumbing Code by the International Association of Plumbing and Mechanical Officials (IAPMO). The agencies propose to delete language included in error by IAPMO in that publication, which IAPMO has corrected by Tentative Interim Amendment. The correction is being presented to the California public in a 45-day public comment period for application statewide and intended to become effective with the effective date of the 2007 code cycle supplement.

Amend the following notes, which precede Table 4-1 of the 2007 CPC:

Table 4-1

Minimum Plumbing Facilities¹

Each building shall be provided with sanitary facilities, including provisions for persons with disabilities as prescribed by the Department Having Jurisdiction¹⁹.

For requirements for persons with disabilities, Chapter 11A or 11B of the California Building Code shall be used.

~~**[BSC, OSHPD 1, 2, 3 & 4, DSA-SS, HCD 1 & HCD 2, AGR]** The total occupant load shall be determined by the minimum exiting requirements.~~ The minimum number of fixtures shall be calculated by fifty (50) percent male and fifty (50) percent female based on the total occupant load.

The occupant load and use of building and use of the building or space under consideration shall first be established using the Occupant Load Factor Table A. ...

(Table and balance of notes not shown for clarity)